



EVAPORATIVE AIR COOLER

MANUFACTURER & EXPORTER



CABINET LIFE



info@skyaircooler.com



www.skyaircooler.com




+91 90330 00463

Mercury Air Cooler

18000 CMH



Top Discharge



Bottom Discharge



18000 CMH
Airflow



35 LTR.
Water tank



1 Unit
Per hour



<73 (DB)
Noise



UV
Resistant

PARTICULERS	MERCURY AIR COOLER
Discharge	Top/Bottom
Motor(v/Hz)	220 to 415v / 50Hz / 60Hz
Cooling area	1000 - 1200 sq. ft.
Power (KW)	1.1
Phase	Three / Single
Speed	Single / Variable
Air Pressure(P.A)	180
Fan Type	Axial (3 Blade)
RPM(Running Per Minutes)	1400
Controller	Single Speed / Multi Speed
Water Drain	Manual / Auto
Net Weight (Kg)	68
Dust Filter	Yes
Air Outlet Size (mm)	670 x 670
Dimension LxWxH (mm)	1111 x 1111 x 1011

Uranus Air Cooler

18000 CMH



Top Discharge



18000 CMH
Airflow



35 LTR.
Water tank



1.1 Unit
Per hour



<75 (DB)
Noise



UV
Resistant

PARTICULERS	URANUS AIR COOLER
Discharge	Top/Bottom
Motor(V/Hz)	220 to 415v / 50Hz / 60Hz
Cooling area	1500 - 1800 sq. ft.
Power (KW)	1.1
Phase	Three / Single
Speed	Single / Variable
Air Pressure(P.A)	180
Fan Type	Axial (3 Blade)
RPM(Running Per Minutes)	1400
Controller	Single Speed / Multi Speed
Water Drain	Manual / Auto
Net Weight (Kg)	77
Dust Filter	Yes
Air Outlet Size (mm)	670 x 670
Dimension LxWxH (mm)	1111 x 1111 x 1702

Earth Air Cooler

18000 / 22000 CMH



Freely Movable Air Cooler



18000 / 22000 CMH
Airflow



200 LTR.
Water tank



1.1 / 1.5 Unit
Per hour



<75 (DB)
Noise



UV
Resistant



70 ft
air throw

PARTICULERS	EARTH AIR COOLER
Discharge	Top
Motor(V/Hz)	220 to 415v / 50Hz / 60Hz
Cooling area	1800 - 2000 sq. ft.
Power(KW)	1.1 / 1.5
Phase	Three / Single
Speed	Single / Variable
Air Pressure(P.A)	180 / 240
Fan Type	Axial (3 Blade / 4 Blade)
RPM(Running Per Minutes)	1400
Controller	Single Speed / Multi Speed
Water Drain	Manual
Net Weight (Kg)	85
Dust Filter	Yes
Air Outlet Size (mm)	670 x 670
Dimension LxWxH (mm)	1111 x 1011 x 1956

Pluto Air Cooler

22000 CMH



Top Discharge



Bottom Discharge



22000 CMH
Airflow



35 LTR.
Water tank



1.5 Unit
Per hour



<75 (DB)
Noise



UV
Resistance

PARTICULERS	PLUTO AIR COOLER
Discharge	Top/Bottom
Motor(V/Hz)	415v/50Hz & 220v/50Hz
Cooling area	2000 - 2200 sq. ft.
Power(KW)	1.5
Phase	Three / Single
Speed	Single / Multi
Air Pressure(P.A)	180
Fan Type	Axial (4 Blade)
RPM(Running Per Minutes)	1400
Controller	Single Speed / Multi Speed
Water Drain	Manual / Auto
Net Weight (Kg)	68
Dust Filter	Yes
Air Outlet Size (MM)	670 x 670
Dimension LxWxH (MM)	1111 x 1111 x 1011

Jupiter Air Cooler

25000 CMH



Top Discharge



Down Discharge



25000 CMH
Airflow



35 LTR.
Water tank



2 Unit
Per hour



<75 (DB)
Noise



UV
Resistant

PARTICULARS	JUPITER AIR COOLER
Discharge	Top/Bottom
Motor(V/Hz)	220 to 415v / 50Hz / 60Hz
Power(KW)	1.8
Cooling area	2200 - 2500 sq. ft.
Phase	Three / Single
Speed	Single / Multi
Air Pressure(P.A)	250
Fan Type	Axial (4 Blade)
RPM(Running Per Minutes)	1400
Controller	Single Speed / Multi Speed
Water Drain	Manual / Auto
Net Weight (Kg)	77
Dust Filter	Yes
Air Outlet Size (mm)	670 x 670
Dimension LxWxH (mm)	1098 x 1098 x 1261

Venus Air Cooler

30000 CMH



Top Discharge



Bottom Discharge



30000 CMH
Airflow



65 LTR.
Water tank



3 Unit
Per hour



<90 (DB)
Noise



UV
Resistant

PARTICULERS	VENUS AIR COOLER
Discharge	Top/Bottom
Motor(V/Hz)	220 to 415v / 50Hz / 60Hz
Cooling area	2500 - 2800 sq. ft.
Power(KW)	3
Phase	Three / Single
Speed	Single / Variable
Air Pressure(P.A)	350
Fan Type	Axial (6 Blade)
RPM(Running Per Minutes)	1440
Controller	Single Speed / Multi Speed
Water Drain	Manual / Auto
Net Weight (Kg)	130
Dust Filter	Yes
Air Outlet Size (mm)	765 x 765
Dimension LxWxH (mm)	1343 x 1343 x 1385

Neptune Air Cooler

40000 CMH



Top Discharge



Bottom Discharge



40000 CMH
Airflow



65 LTR.
Water tank



3.7 Unit
Per hour



< 95 (DB)
Noise



UV
Resistant

PARTICULERS	NEPTUNE AIR COOLER
Discharge	Top / Bottom
Motor(V/Hz)	380 to 415v/50Hz/60Hz
Cooling area	3000 - 3200 sq. ft.
Power(KW)	3.7
Phase	Three
Speed	Single
Air Pressure(P.A)	400
Fan Type	Axial (8 Blade)
RPM(Running Per Minutes)	1440
Controller	Single Speed / Multi Speed
Water Drain	Manual / Auto
Net Weight (Kg)	137
Dust Filter	Yes
Air Outlet Size (MM)	765 x 765
Dimension LxWxH (MM)	1343 x 1343 x 1385

INDUSTRIAL EXHAUST FAN





SKYEX-650

AIR FLOW(M3/H)	VOLTAGE	POWER (KW)	PHASE	DIAMETER BLADES (INCH)
10000 CMH	415v/50Hz	0.37 kw	Three Phase	18 (Inch)

BLADE ROTATIONAL	NET WEIGHT (KG)	AUTO SHUTTER	DIMENSION L X W X H	WALL CUT SIZE
1400	17.3	Yes	650x650x460 (mm)	650x655x465 (mm)

SKYEX-850

AIR FLOW(M3/H)	VOLTAGE	POWER (KW)	PHASE	DIAMETER BLADES (INCH)
13000 CMH	415v/50Hz	0.37 kw	Three Phase	24 (Inch)

BLADE ROTATIONAL SPEED (RPM)	NET WEIGHT (KG)	AUTO SHUTTER FUNCTION	DIMENSION L X W X H	WALL CUT SIZE
700	28	Yes	850x850x450 (mm)	855x855x455 (mm)



SKYEX-1060



AIR FLOW(M3/H)	VOLTAGE	POWER (KW)	PHASE	DIAMETER BLADES (INCH)
29000 CMH	415v/50Hz	0.55 kw	Three Phase	35 (Inch)

BLADE ROTATIONAL SPEED (RPM)	NET WEIGHT (KG)	AUTO SHUTTER FUNCTION	DIMENSION L X W X H	WALL CUT SIZE
540	45	Yes	1060x1060x550 (mm)	1065x1065x555 (mm)

SKYEX-1460

AIR FLOW(M3/H)	VOLTAGE	POWER (KW)	PHASE	DIAMETER BLADES (INCH)
44500 CMH	415v/50Hz	1.1 kw	Three Phase	50 (Inch)

BLADE ROTATIONAL SPEED (RPM)	NET WEIGHT (KG)	AUTO SHUTTER FUNCTION	DIMENSION L X W X H	WALL CUT SIZE
540	58	Yes	1460x1460x580 (mm)	1465x1465x585 (mm)



SKYEX (NYLON) -1460

AIR FLOW(M3/H)	VOLTAGE	POWER (KW)	PHASE	DIAMETER BLADES (INCH)
63000 CMH	415v/50Hz	2.0 Kw	Three Phase	50 (Inch)

BLADE ROTATIONAL SPEED (RPM)	NET WEIGHT (KG)	AUTO SHUTTER FUNCTION	DIMENSION L X W X H	WALL CUT SIZE
700	58	Yes	1460x1460x580 (mm)	1465x1465x585 (mm)

OUR INDUSTRIAL AIR COOLER INSTALLATION WORK



PLASTIC INDUSTRIES



PRINTING & PACKING INDUSTRIES



AUTOMOBILE INDUSTRIES



TEXTILE INDUSTRIES



MACHINE MANUFACTURING INDUSTRIES


OUR INDUSTRIAL EXHAUST FAN INSTALLATION WORK



ELECTRONIC INDUSTRIES



WAREHOUSE



METAL INDUSTRIES



GARMENT & TEXTILE INDUSTRIES



GLASS & BOTTLING INDUSTRIES

PRODUCT MAPPING AND DEPLOYMENT PLAN




ROOFTOP EXHASUT FAN

When airflow matters, our industrial fans deliver unmatched power and long-term reliability.
FRP Body



SIDE-WALL EXHASUT FAN

Industrial strength ventilation that keeps your workspace cooler, cleaner, and more efficient.
FRP Body



EVAPORATIVE AIR COOLER

TOP DISCHARGE

Large-scale cooling power for maximum performance in rugged industrial zones.
Engineering plastic injection molding body

30000 CMH



EVAPORATIVE AIR COOLER

DOWN DISCHARGE

Down-discharge design for fast, even cooling across your factory or warehouse space.
Engineering plastic injection molding body

22000 CMH

OUR ESTEEMED CUSTOMERS

apollo
TYRES

ARVIND
FASHIONING POSSIBILITIES

BAJAJ

Reliance
Industries Limited



BRITANNIA

Coca-Cola

PARLE

BLUE STAR

DOMS

JADE BLUE

LARSEN & TOUBRO

Lubi
PUMPS • MOTORS

JSL
JINDAL STAINLESS

Hero

MRF



UNO MINDA

GAR

**ROYAL
ENFIELD**



The Backbone of Industrial Climate Control



Manufactured & Marketed by :
SKY AIR COOLER



Scan for the Website

📍 Plot No 21, 22 Satvan Industrial Park, Near Reliance Petrol Pump, Valad, Gandhinagar, Gujarat 382355



info@skyaircooler.com



www.skyaircooler.com



+91 90330 00463



Scan for the Whatsapp